



**HDW**   
*Plus*

*art of quality*






## A80R

دولاب متحرك ايطالي

### Medium duty

Rubber wheel,  
Steel Flanges



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls.  
Assembled with self locking nut.  
Dust cover ring on the balls.

Code											
<b>A80R80</b>	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
<b>A80R100</b>	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
<b>A80R125</b>	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130
<b>A80R150</b>	150SEx40	100x85	80x60	8.5x12	37	179	177	20x50	12	120	150
<b>A80R160</b>	160x40	140x110	105x80	11x16	55	197	194	22x50	16	150	190
<b>A80R200</b>	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260
<b>A80R250</b>	250x60	200x160	150x115	14x16	85	302	298	25x55	**	300	380




## A103R

دولاب متحرك فرام ايطالي

### Medium duty

Rubber wheel,  
Steel Flanges



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls.  
Assembled with self locking nut.  
Dust cover ring on the balls.


Code											
<b>A103R80</b>	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
<b>A103R100</b>	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
<b>A103R125</b>	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130
<b>A103R150</b>	150SEx40	100x85	80x60	8.5x12	37	179	177	20x50	12	120	150
<b>A103R160</b>	160x40	140x110	105x80	11x16	55	197	194	22x50	16	150	190
<b>A103R200</b>	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260
<b>A103R250</b>	250x60	200x160	150x115	14x16	85	302	298	25x55	**	300	380



## A80AR

دولاب ثابت ايطالي  
Medium duty

Rubber wheel,  
Steel Flanges



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.


Code											
A80AR80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A80AR100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A80AR125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130
A80AR150	150SEx40	100x85	80x60	8.5x12	37	179	177	20x50	12	120	150
A80AR160	160x40	140x110	105x80	11x16	55	197	194	22x50	16	150	190
A80AR200	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260
A80AR250	250x60	200x160	150x115	14x16	85	302	298	25x55	**	300	380



## A103BR

دولاب رمادي اكس فرام ايطالي  
Medium duty

Rubber wheel,  
Steel Flanges



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.


Code											
A103BR200	200x50	140x110	105x80	11x16	55	235	232	22x50	16	205	260



## A80AMR

دولاب متحرك رمادي  
صناعي ايطالي  
Medium duty

Rubber wheel,  
Steel Flanges



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A80AMR80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A80AMR100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A80AMR125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



## A103AMR

دولاب متحرك فرام رمادي  
صناعي ايطالي

### Medium duty

Rubber wheel,  
Steel Flanges



50 ÷ 205



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A103AMR80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A103AMR100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A103AMR125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



## A80FAM

دولاب متحرك مبخوش  
رمادي صناعي ايطالي

### Medium duty

Rubber wheel,  
Steel Flanges



50 ÷ 205



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A80FAM80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A80FAM00	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A80FAM125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



## A103FAM

دولاب مبخوش فرام  
رمادي صناعي ايطالي

### Medium duty

Rubber wheel,  
Steel Flanges



50 ÷ 205



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
A103FAM80	80x25	100x85	80x60	8.5x12	37	108	106	20x50	12	50	70
A103FAM100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	70	90
A103FAM125	125SEx37,5	100x85	80x60	8.5x12	37	154	152	20x50	12	100	130



## A39

دولاب متحرك ثقيل ايطالي

### Heavy duty

Elastic rubber wheel,  
aluminium centre



160 ÷ 525



-20 ÷ +70



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A39.100	100x40	100x85	80x60	9x12	36	135	131	22x50	160	200
A39.125	125x40	135x110	105x80	13x16	45	166	161	22x50	200	250
A39.160	160x50	135x110	105x80	13x16	57	216	209	25x65	300	380
A39.200	200x50	135x110	105x80	13x16	57	251	244	25x65	400	500



## A39BIS

دولاب متحرك ثقيل مع فرام ايطالي

### Heavy duty

Elastic rubber wheel,  
aluminium centre



160 ÷ 525



-20 ÷ +70



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A39BIS100	100x40	100x85	80x60	9x12	36	135	131	22x50	160	200
A39BIS125	125x40	135x110	105x80	13x16	45	166	161	22x50	200	250
A39BIS160	160x50	135x110	105x80	13x16	57	216	209	25x65	300	380
A39BIS200	200x50	135x110	105x80	13x16	57	251	244	25x65	400	500



## A39A

دولاب ثابت ثقيل ايطالي

### Heavy duty

Elastic rubber wheel,  
aluminium centre



160 ÷ 525



-20 ÷ +70



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
A39A.100	100x40	100x85	80x60	9x12	36	135	131	22x50	160	200
A39A.125	125x40	135x110	105x80	13x16	45	166	161	22x50	200	250



## A224

دولاب صناعي طبش  
رمادي ايطالي

Code

A224.50

A224.60



## A224BIS

دولاب صناعي طبش  
رمادي فرام ايطالي

Code

A224BIS50

A224BIS60



## A224F

دولاب صناعي مبخوش  
رمادي ايطالي

Code

A224F.40

A224F.50

A224F.60



## A16AI

دولاب فدار ثقيل ايطالي

Elastic rubber wheel,  
aluminium centre



160 ÷ 525



-20 ÷ +70



Wheel with elastic rubber tyre 68 Shore A. Aluminium centre. Hub on shielded ball bearings assembled with central spacer.

Code					
<b>A16AI125</b>	125x50	60	20	47x14	225
<b>A16AI160</b>	160x50	60	20	47x14	300
<b>A16AI180</b>	180x50	60	20	47x14	350
<b>A16AI200</b>	200x50	60	20	47x14	400



## A112R

دولاب فدار ايطالي

## A112B

دولاب فدار BUSH

## A112B

بوش دولاب فدار ايطالي

Rubber wheel,  
Steel Flanges



160 ÷ 525



-20 ÷ +70



Wheel with rubber tyre 80 Shore A and zinc-chromium plated **Pressed steel flanges**. Hub on roller bearings, shielded ball bearings or self oiling bush.

Code						
<b>A112R80</b>	80x25	40	37	12	8	50
<b>A112R100</b>	100x30	40	37	12	8	70
<b>A112R125</b>	125x37.5	50	46	15	10	100
<b>A112R150</b>	150x40	50	43	15	10	135
<b>A112R160</b>	160x40	58	55	20	17	150
<b>A112R200</b>	200x50	58	55	20	17	205
<b>A112R200x25</b>	200x25	**	***	**	**	**
<b>A112R250</b>	250x60	75	63	25	25	300
<b>A112B80</b>	80x25	40	37	12	8	50
<b>A112B100</b>	100x30	40	37	12	8	70
<b>A112B125</b>	125x37.5	50	46	15	10	100
<b>A112B160</b>	160x40	50	55	20	10	150
<b>A112B200</b>	200x50	58	55	20	17	205
<b>S112.80</b>	80x25	40	37	12	8	50



## A22

دولاب حديد ملبس اصفر  
متحرك عادي ايطالي

### Medium duty

Polyurethane wheel tread,  
mechanical cast iron centre



120 ÷ 450



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
<b>A22.80.20</b>	80x20	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
<b>A22.100.30</b>	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
<b>A22.125.30</b>	125x30	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
<b>A22.150.30</b>	150x30	100x85	80x60	8.5x14	45	181	179	22x50	12	200	250



## A24ANT

دولاب حديد ملبس اصفر  
فرام عادي ايطالي

### Medium duty

Polyurethane wheel tread,  
mechanical cast iron centre



120 ÷ 450



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
<b>A24ANT.80.20</b>	80x20	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
<b>A24ANT.100.30</b>	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
<b>A24ANT.125.30</b>	125x30	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
<b>A24ANT.150.30</b>	150x30	100x85	80x60	8.5x14	45	181	179	22x50	12	200	250



## A22A

دولاب حديد ملبس اصفر  
ثابت عادي ايطالي

### Medium duty

Polyurethane wheel tread,  
mechanical cast iron centre



120 ÷ 450



-20 ÷ +80



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut. Dust cover ring on the balls.

Code											
<b>A22A.80.20</b>	80x20	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
<b>A22A.100.30</b>	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
<b>A22A.125.30</b>	125x30	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
<b>A22A.150.30</b>	150x30	100x85	80x60	8.5x14	45	181	179	22x50	12	200	250





## A27

دولاب حديد ملبس اصفر  
متحرك ايطالي

### Heavy duty

Polyurethane wheel tread,  
mechanical cast iron centre



150 ÷ 800



-20 ÷ +80



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
<b>A27.80.20</b>	80x20	100x85	80x60	9x12	36	118	114	22x50	150	190
<b>A27.100.30</b>	100x30	100x85	80x60	9x12	36	135	131	22x50	250	320
<b>A27.125.30</b>	125x30	135x110	105x80	13x16	45	166	161	22x50	300	380
<b>A27.150.30</b>	150x30	135x110	105x80	13x16	50	189	184	22x50	400	500
<b>A27.200.40</b>	200x40	135x110	105x80	13x16	57	251	244	25x65	800	1000



## A29

دولاب حديد ملبس اصفر  
فرام ايطالي

### Heavy duty

Polyurethane wheel tread,  
mechanical cast iron centre



150 ÷ 800



-20 ÷ +80



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										
<b>A29.80.20</b>	80x20	100x85	80x60	9x12	36	118	114	22x50	150	190
<b>A29.100.30</b>	100x30	100x85	80x60	9x12	36	135	131	22x50	250	320
<b>A29.125.30</b>	125x30	135x110	105x80	13x16	45	166	161	22x50	300	380
<b>A29.150.30</b>	150x30	135x110	105x80	13x16	50	189	184	22x50	400	500
<b>A29.200.40</b>	200x40	135x110	105x80	13x16	57	251	244	25x65	800	1000



## A30Y

دولاب حديد اصفر  
متحرك ثقيل ايطالي

### Extra heavy duty

Polyurethane wheel tread,  
mechanical cast iron centre



200 ÷ 1800



-20 ÷ +80



Extra heavy duty castors in pressed and welded high thickness steel, turning on thrust and tapered roller bearings. Black epoxy paint.

Code										
<b>A30Y150.50</b>	150x50	135x110	105x80	∅ 13	50	205	205	22x50	650	820



## A27A

دولاب حديد ملبس اصفر  
ثابت ايطالي

### Heavy duty

Polyurethane wheel tread,  
mechanical cast iron centre



150 ÷ 800



-20 ÷ +80



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											
<b>A27A.100.30</b>	100x30	100x85	80x60	9x12	36	135	131	22x50	250	320	
<b>A27A.125.30</b>	125x30	135x110	105x80	13x16	45	166	161	22x50	300	380	
<b>A27A.150.30</b>	150x30	135x110	105x80	13x16	50	189	184	22x50	400	500	
<b>A27A.200.40</b>	200x40	135x110	105x80	13x16	57	251	244	25x65	800	1000	



## A14

دولاب حديد اصفر  
فدار ايطالي

Polyurethane wheel,  
mechanical cast iron centre



130 ÷ 4600



-20 ÷ +80



Wheel coated with AVOLAN polyurethane thread 91 Sh A. Black painted, mechanical cast iron centre. Hub on shielded ball bearings assembled with central spacer.

Code						
<b>A14.80.20.12</b>	80x20	10	12	32x10	150	
<b>A14.100.30.15</b>	100x30	30	15	35x11	250	
<b>A14.100.30.20</b>	100x30	30	20	**	**	
<b>A14.125.30.15</b>	125x30	30	15	35x11	300	
<b>A14.125.30.20</b>	125x30	30	20	47x14	300	
<b>A14.125.50</b>	125x50	60	20	47x14	500	
<b>A14.150.30.17</b>	150x30	30	17	40x12	400	
<b>A14.200.40.20</b>	200x40	40	20	47x14	800	



## S20

باغ دولاب اصفر ايطالي

Code

**S20-25.200**



## A60

دولاب بلاستيك اصفر  
متحرك ايطالي

### Heavy duty

Injection polyurethane  
DESMOPAN wheel tread,  
polyamide 6 centre



300 ÷ 800



-20 ÷ +80



Heavy duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										daN Dynamic	daN Static
A60.100.40	100x40	100x85	80x60	9x12	36	135	131	22x50		300	380
A60.160.50	160x50	135x110	105x80	13x16	57	238	231	25x65		500	630
A60.200.57	200x57	135x110	105x80	13x16	57	251	244	25x65		800	1000



## A118BIS

دولاب متحرك نيلون ايطالي  
Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										daN Dynamic	daN Static
A118BIS60	60x35	100x85	80x60	8.5x12	37	89	87	20x50	12	120	150
A118BIS80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118BIS100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118BIS125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220
A118BIS150	150x40	100x85	80x60	8.5x14	45	181	178	22x50	12	200	250



## A118SANT

دولاب متحرك نيلون  
مع فرام ايطالي

### Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code										daN Dynamic	daN Static
A118SANT80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118SANT100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118SANT125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220



## A118BISA

دولاب ثابت نيلون ايطالي  
Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											
A118BISA80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118BISA100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118BISA125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220



## A118BISC

دولاب متحرك نيلون  
مبخوش ايطالي  
Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											
A118BISC80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118BISC100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150



## A118SANTF

دولاب متحرك نيلون  
مع فرام مبخوش ايطالي  
Medium duty

Polyamide 6 wheel



120 ÷ 400



-25 ÷ +85



Medium duty castors in zinc-chromium plated pressed steel, high thickness, turning on double rim of balls fitted in hardening steel thrust-bearings. Assembled with self locking nut.

Code											
A118SANTF80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	120	150
A118SANTF100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150
A118SANTF125	125x40	100x85	80x60	8.5x14	42	155	150	22x50	12	170	220



## A116

دولاب نیلون فدار ایتالی

Polyamide 6 wheel



150 ÷ 550



-25 ÷ +85



Polyamide 6 wheel.  
Hub on roller bearings,  
shielded ball bearings  
assembled with central  
spacer, or plain bore.

Code				
A116.80.30	80x30	40	15	150
A116.100.30	100x30	40	15	175



## A119BIS

دولاب متحرك نیلون ایتالی  
Medium duty

INOX  
Polyamide 6 wheel



150 ÷ 300



-25 ÷ +85



Medium duty castors  
in pressed stainless steel  
AISI 304, turning on  
double rim of balls  
INOX AISI 420  
Dust cover ring on  
the balls.

Code											
A119BIS80	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	150	190
A119BIS100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	150	190
A119BIS125	125x40	100x85	80x60	8.5x12	42	155	150	22x50	12	150	190



## A119SANT

دولاب متحرك نیلون  
مع فرام ایتالی  
Medium duty

INOX  
Polyamide 6 wheel



150 ÷ 300



-25 ÷ +85



Medium duty castors  
in pressed stainless steel  
AISI 304, turning on  
double rim of balls  
INOX AISI 420  
Dust cover ring on  
the balls.

Code											
A119SANT80	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	150	190
A119SANT100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	150	190
A119SANT125	125x40	100x85	80x60	8.5x12	42	155	150	22x50	12	150	190



## A31X

دولاب متحرك نيلون  
احمر ايطالي

Medium duty

INOX

Injection polyurethane  
DESMOPAN® wheel tread,  
polyamide 6 centre



120 ÷ 300



-20 ÷ +80



Medium duty castors  
in pressed stainless steel  
AISI 304, turning on  
double rim of balls  
INOX AISI 420  
Dust cover ring on  
the balls.

Code											
A31X.80.30	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	120	150
A31X.100.30	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	170	190
A31X.125.35	125x35	100x85	80x60	8.5x14	42	155	150	22x50	12	150	190



## A31XANT

دولاب متحرك نيلون  
مع فرام احمر ايطالي

Medium duty

INOX

Injection polyurethane  
DESMOPAN® wheel tread,  
polyamide 6 centre



120 ÷ 300



-20 ÷ +80



Medium duty castors  
in pressed stainless steel  
AISI 304, turning on  
double rim of balls  
INOX AISI 420  
Dust cover ring on  
the balls.

Code											
A31XANT.80.30	80x30	100x85	80x60	8.5x12	37	107	105	20x50	12	120	150
A31XANT.100.30	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	170	190
A31XANT.125.35	125x35	100x85	80x60	8.5x14	42	155	150	22x50	12	150	190



## A115F

دولاب حراري فدار ايطالي

Monolithic phenolic  
resin wheel



100 ÷ 300



-40 ÷ +280



Wheel with elastic rubber  
tyre 68 Shore A.  
Aluminium centre.  
Hub on shielded ball  
bearings assembled  
with central spacer.

Code				
A115F80	80x35	40	12	100
A115F100	100x35	40	12	150



## A117BIS

دولاب متحرك حراري ايطالي

### Medium duty

Monolithic phenolic  
resin wheel



100 ÷ 300



-40 ÷ +280



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls.

Code											daN Dynamic	daN Static
A117BIS80	80x35	100x85	80x60	8.5x12	37	108	106	20x50	12	100	130	
A117BIS100	100x35	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150	



## A105

دولاب متحرك حديد ايطالي

### Medium duty

Mechanical cast iron wheel



150 ÷ 300



-40 ÷ +500



Medium duty castors in zinc-chromium plated pressed steel, turning on double rim of balls. Assembled with self locking nut.

Code											daN Dynamic	daN Static
A105.80	80x30	100x85	80x60	8.5x12	37	108	106	20x50	12	100	130	
A105.100	100x30	100x85	80x60	8.5x12	37	128	126	20x50	12	120	150	



## A114

دولاب فدار حديد ايطالي

Mechanical cast iron wheel



200 ÷ 600



-40 ÷ +500



Cast iron wheel, high temperatures resistant with low rolling resistance. Hub on plain bore. Grey cast iron with pearlitic or laminar structure in accordance with ISO 185.

Code				daN Dynamic
A114.80	80x30	40	12	200
A114.100	100x30	40	12	250



## A11

دولاب ترانس باليت فدار

Polyurethane pallet roller,  
steel centre



100 ÷ 1000



-20 ÷ +80



Pallet roller coated with polyurethane, with steel centre. Hub on shielded ball bearings.

Code				
A11.70.70	70x70	15	35x11	500
A11.75.40	75x40	15	35x11	300
A11.82.70	82x70	20	47x14	300
A11.82.80	82x80	20	47x14	800



## A13

دولاب ترانس باليت ابيض فدار

Polyamide 6 roller



300 ÷ 1000



-25 ÷ +85



Polyamide 6 pallet roller. Hub on shielded ball bearings.

Code				
A13.82.70	82x70	20	47x14	650
A13.82.80	82x80	20	47x14	750
A13.82.100	82x100	20	47x14	950



## A50

دولاب متحرك صناعي ايطالي  
Extra heavy duty

Polyurethane pallet roller,  
steel centre



500 ÷ 800



-20 ÷ +80



Extra heavy duty castors in pressed and welded steel, high thickness, turning on thrust and tapered roller bearings. Black epoxy painted.

Code								
A50.80.70	80x70	135x110	105x80	Ø 13	68	12	700	880





**HDW**   
*Plus*

# AVO

*wheels and castors  
general catalogue*



Industrial city bouchrieh - beirut,  
01 26 55 28 - 01 497 481 - 03 11 88 59 - 70 497 481